

Serial No.: 09/746,156

Art Unit: 2881

Page 8

REMARKS

This is a full and timely response to the outstanding non-final Office Action mailed November 3, 2003. Reconsideration and allowance of the presently pending claims 1-12, 17, and 19-35, as amended, is respectfully requested.

I. Claim Rejections – 35 U.S.C. § 102**A. Discussion of Claims 1, 17, and 25****1. Statement of the Rejection (Claims 1 and 17)**

Claims 1 and 17 have been rejected under 35 U.S.C. § 102(b) as allegedly being anticipated by Heuchemer (Deutschland Pat No. 3,905,870 A1), Baumann (US Pat. No. 4,164,178), and Bump (US Pat. No. 5,667,268). More specifically, the Office Action states:

...Heuchemer discloses a storage system comprising a container having a wall with an outer surface and an inner surface and a first open end, the container defining an interior, a closure lid (16) configured to be inserted within the open end and adapted to engage in a sealing relationship with the inner surface; and a compression link (22) having a container engagement surface and a closure lid engagement surface, the compression link being configured to engage between the closure lid and the inner surface to retain the closure lid in sealing engagement with the container, the container engagement surface being configured to extend outwardly from each other, the container engagement surface being adapted to engage the inner surface and the closure lid engagement surface being adapted to engage the closure lid such that, the closure lid is retained in sealing engagement with the inner surface...

...Baumann discloses a storage system comprising a container having a wall with an outer surface and an inner surface and a first open end, the container defining an interior, a closure lid (12) configured to be inserted within the open end and adapted to engage in a sealing relationship with the inner surface; and a compression link (13,46) having a container engagement surface and a closure lid engagement surface, the compression link being configured to engage between the closure lid and the inner surface to retain the closure lid in sealing engagement with the container, the container engagement surface and the closure lid engagement surface being configured to extend outwardly from each other, the container engagement surface being adapted to engage the inner surface and the closure lid engagement surface being adapted to engage the closure lid such that, the closure lid is retained in sealing engagement with the inner surface...

Serial No.: 09/746,156

Art Unit: 2881

Page 9

...Bump discloses a storage system comprising a container having a wall with an outer surface and an inner surface and a first open end, the container defining an interior, a closure lid (20) configured to be inserted within the open end and adapted to engage in a sealing relationship with the inner surface; and a compression link (31,33) having a container engagement surface and a closure lid engagement surface, the compression link being configured to engage between the closure lid and the inner surface to retain the closure lid in sealing engagement with the container, the container engagement surface and the closure lid engagement surface being configured to extend outwardly from each other, the container engagement surface being adapted to engage the inner surface and the closure lid engagement surface being adapted to engage the closure lid such that, the closure lid is retained in sealing engagement with the inner surface...

Office Action at pp. 2-4.

2. Response to the Rejection (Claims 1 and 17)

For a proper rejection of a claim under 35 U.S.C. § 102(b), the cited reference must disclose all elements/methods of the claim. *See, e.g., E.I. du Pont de Nemours & Co. v. Phillips Petroleum Co.*, 849 F.2d 1430 (Fed. Cir. 1988). Because of the following discussion, Applicant respectfully submits that neither Heuchemer, Baumann, nor Bump disclose all of the elements of claims 1 or 17. Thus, Applicant requests that the rejections be withdrawn as to these claims.

- i. Heuchemer does not disclose a closure lid configured to be inserted within the open end of the container and adapted to engage in a sealing relationship with the inner wall as recited in claims 1 and 17

Claims 1 and 17 include the following feature: "a closure lid configured to be inserted within said open end and adapted to engage in a sealing relationship with said inner wall."
Heuchemer does not disclose this feature. Heuchemer discloses a container (12), closure lid (14) and three-part lever mechanism (26, 22, 30) that effectuates proper closure of the lid atop the container (12). Most notably, however, the closure lid (14) in Heuchemer is configured to sit on top of the distal end of the container (12) (See Fig. 2), not within the open end of the container as recited in claims 1 and 17.

Serial No.: 09/746,156

Art Unit: 2881

Page 10

Furthermore, because the closure lid (14) sits atop the container (12) in Heuchemer, it does not contact the inner wall of the container (12) and therefore is not “adapted to engage in a sealing relationship with the inner wall” of the container. Thus, for at least these reasons, Applicant respectfully submits that claims 1 and 17 are novel in light of Heuchemer.

ii. Baumann does not disclose a closure lid configured to be inserted within the open end of the container as recited in claims 1 and 17

As previously discussed, claims 1 and 17 recite that the enclosure lid is to be “configured to be inserted within [the] open end” of the container. Baumann does not teach this. Baumann specifically teaches a container (80), lid frame (50) and pivotally mounted lid (12). Figure 1 in Baumann illustrates that the lid frame (50) is affixed to the top of the container (80) and that the lid (12) and lid frame (50) are attached via a lever mechanism (20). Therefore, the lid (12) does not fit within the container (80) as recited in Applicant’s claim 1 and claim 17. Thus, for at least this reason, Applicant respectfully submits that claims 1 and 17 are novel in light of Baumann.

iii. Baumann does not disclose a “a compression link having a container engagement surface and a closure lid engagement surface” as disclosed in claims 1 and 17

Furthermore, Claims 1 and 17 recite “a compression link having a container engagement surface and a closure lid engagement surface.” Baumann also does not disclose this feature. The Office Action states that elements 13 and 46 in Baumann disclose a compression link. These elements are referred to in Baumann as a tension spring and compression spring, respectively. However, the tension spring (13) and compression spring (46) do not in any way resemble the compression link disclosed in claims 1 and 17. Specifically, elements 13 and 46 do not have a container engagement surface and a closure lid engagement surface.

Serial No.: 09/746,156

Art Unit: 2881

Page 11

The tension spring (13) in Baumann operates by exerting force on a two-armed lever (21) thereby allowing the closure lid to move back to its resting place following a user's release of the pedal (30). Col.4, lines 52-57. The tension spring (13) is connected to the two-armed lever (21) and the inside of the lid frame (50); it does not touch the closure lid (12) or the container (80). Thus, the tension spring (13) has neither a closure lid engagement surface nor a container engagement surface.

Likewise, the compression spring (46) does not have a container engagement surface. The compression spring (46) is part of the maintenance signal system (40). Col. 5, lines 33-40. It is disposed between a plate (43) – which fits within a recess in the underside of the lid (Col. 5, lines 34-35) – and the underside (41) of the lid (12) itself. While the compression spring touches the lid, it does not encounter the container and therefore cannot be said to have a container engagement surface. Thus, Applicant respectfully submits that, because of at least these reasons, claims 1 and 17 are novel in light of Baumann.

- iv. **The compression link in Bump is configured to ease lid removal unlike the compression link in claims 1 and 17 which are configured to retain the closure lid**

Bump discloses a slanted door (20), or closure lid, for use on a truck mounted service compartment. Col. 2, lines 35-40. When closed, the lid (20) is attached to the truck compartment (27) via a door hinge (25), sealed via a door seal (24), and kept closed via a latch (23). *See* Col. 2, lines 35-40; Figure 2. Attached to the lid (20) and compartment (27) is a brace (31) which includes a compression member (33). Col. 4, lines 10-20.

It is arguable that element 33 is the only part of Bump that could be termed a “compression member,” however, the Office Action terms elements 31 and 33 as the compression member. If element 33 were to be the “compression member” then claims 1 and 17

Serial No.: 09/746,156

Art Unit: 2881

Page 12

would be novel on the grounds that the "compression member" in Bump does not have a container engagement surface or a closure lid engagement surface.

Nonetheless, this terminology makes no difference; Bump is distinguishable on other grounds. Elements 31 and 33 in Bump are configured to "help[] raise the [lid] when unlatched." Col. 4, line 22. This is directly opposite of the compression element in claims 1 and 17 which are configured to *retain the closure lid*. Thus, for at least these reasons, Applicant respectfully submits that claims 1 and 17 are novel in light of Bump.

B. Discussion of Claims 1-4, 6-10, 17, 19, 21-22, 25, 27, 29-31, 33

1. Statement of the Rejection (Claims 1-4, 6-10, 17, 19, 21-22, 25, 27, 29-31, 33)

Claims 1-4, 6-10, 17, 19, 21-22, 25, 27, 29-31, and 33 have been rejected under 35 U.S.C. § 102(b) as allegedly being anticipated by Meyer (US Pat. No. 4,016,096). More specifically, the Office Action states:

As per claims 1, 17, 25, Meyer discloses a storage system comprising a container having a wall with an outer surface and an inner surface and a first open end, the container defining an interior, a closure lid (11) configured to be inserted within the open end and adapted to engage in a sealing relationship with the inner surface; and a compression link (6) having a container engagement surface and a closure lid engagement surface, the compression link being configured to engage between the closure lid and the inner surface to retain the closure lid in sealing engagement with the container, the container engagement surface and the closure lid engagement surface being configured to extend outwardly from each other, the container engagement surface being adapted to engage the inner surface and the closure lid engagement surface being adapted to engage the closure lid such that, the closure lid is retained in sealing engagement with the inner surface. See Meyer abstract, figs. 1-4, column 1, col.2 lines 35-68, col. 3 lines 1-25, and col. 4 lines 26-31.

In addition, Meyer discloses an outer lid (25) configured to engage a distal end of the container, wherein the outer lid has a lid hold-down member (26) associated therewith for retaining the outer lid by exerting force on the outer surface of the wall of the container. See Meyer fig. 3, col. 1 lines 53-60, col. 2 lines 33-40, and col. 3 lines 1-25. Meyer also discloses engaging the compression link between the

Serial N.: 09/746,156

Art Unit: 2881

Page 13

closure lid and the inner surface such that the closure lid is retained by placing a portion of the closure lid under compression and a corresponding portion of the inner surface under tension. See Meyer fig. 3.

As per claim 2, Meyer discloses the inner surface having a closure lid retention lid retention ledge (58) formed thereon, and wherein the container engagement surface of the compression link is adapted to engage the closure lid retention ledge (58). See Meyer fig. 4.

As per claim 3, Meyer discloses the closure lid (11) having a stepped outer surface defining an annular region, and wherein the compression link (6) is adapted to be received with in the annular region. See Meyer figs. 1-4 and col. 5 lines 1-15.

As per claims 4, 29 Meyer discloses the inner surface having a recess (2) formed therein for receiving at least a portion of the compression link (6). See Meyer fig. 3.

As per claim 6, Meyer discloses an outer lid configured for engaging a distal end of the container such that the closure lid is disposed between the outer lid and the interior. See Meyer col. 3 lines 15-25.

As per claims 7, 21, 30, Meyer discloses a bearing member (52) configured to fit between the closure lid engagement surface and the container engagement surface of the compression link, wherein the bearing member engages the closure lid. See Meyer fig. 4, and col. 4 lines 25-35.

As per claims 8, 33, Meyer discloses an exothermic material, wherein the exothermic material has been inserted within the container and sealed therein. See Meyer col. 3, lines 1-15.

As per claim 9, Meyer discloses the outer lid (25) having a lid hold-down member (26) associated therewith for retaining the outer lid in sealing engagement with the container. See Meyer fig. 3, col. 1 lines 53-60, col. 2 lines 33-40, and col. 3 lines 1-25.

As per claims 10, 31, Meyer discloses the closure lid (50') having a stepped outer surface (57), the stepped outer surface being adapted to engage the bearing member (52). See Meyer fig. 4, and col. 4 lines 1-5, 12-34.

As per claim 19, Meyer discloses providing an outer lid (25) configured for engaging a distal end of the container such that the closure lid (11) is disposed between the outer lid (25) and the interior; and retaining the outer lid (25) in sealing engagement with the container. See Meyer fig. 3.

As per claim 22, Meyer discloses inserting an exothermic material within the container prior to sealing the closure lid. See Meyer col. 3 lines 1-25.

As per claim 27, Meyer discloses the container being a single-walled container. See Meyer abstract, figs. 1-4, column 1, col. 2 lines 35-68, col. 3 lines 1-25, and col. 4 lines 26-31.

Office Action at pp. 4-7.

Serial No.: 09/746,156
Art Unit: 2881
Page 14

2. Response to the Rejection (Claims 1, 17, 25)

For a proper rejection of a claim under 35 U.S.C. § 102(b), the cited reference must disclose all elements/methods of the claim. *See, e.g., E.I. du Pont de Nemours & Co. v. Phillips Petroleum Co.*, 849 F.2d 1430 (Fed. Cir. 1988). Because of the following discussion, Applicant respectfully submits that Meyer does not disclose all of the elements of claims 1, 17, or 25. Thus, Applicant requests that the rejection be withdrawn as to these claims.

i. Meyer does not disclose a closure lid which engages the inner surface of the container as recited in Applicant's claims 1, 17, and 25

Claims 1, 17, and 25 recite that the closure lid should engage the inner surface of the container. Meyer specifies a light lid (11) arranged on a seal (6) made of elastomer. Col. 2, lines 52-56. The Office Action terms this seal (6) the compression link. Based on Figure 1 and Figure 3, the compression link (6) sits against the inside of the container and holds the light lid (11) in place when the top or outer lid (25) is positioned over the light lid (11). Thus, the light closure lid (11) only contacts the outer lid (25) and the compression link (6) – it does not contact the inner wall of the container as recited in claims 1, 17, and 25. Thus, Applicant respectfully submits that claims 1, 17, and 25 are novel in light of Meyer.

ii. Meyer “teaches away” from engaging the closure lid with the inner wall of the container

Additionally, the closure lid (11) in Meyer is specified as a “light lid formed by a fairly thin wall circular plate... whose end part rests flat on the seal” (6). Col. 2, lines 53-56. Also, it is designed to attach to the outer lid (25) via a magnetic element (16) in order that it may be removed and replaced. Col. 2, lines 66-67; Col. 3, lines 4-10. Thus, because the lid is taught to be light and easily removable there is no reason – and thus no motivation – to make the lid

Serial No.: 09/746,156

Art Unit: 2881

Page 15

encounter the inside wall of the container. In fact, doing so would likely lessen the sealing ability of the compression.

Moreover, upon re-placement of the lid (11) back on the container, Meyer is designed to draw the potentially contaminated part (23) of the seal (6) downward by the light lid's angle iron (12). Col. 3, lines 10-15. Adding to the lid (11) a portion that would contact the inner wall of the container would not allow the contaminated part (23) to be drawn downward by the lid's angle iron (12). Therefore, because the downward drawing of the contaminated part of the seal is an intended purpose of Meyer, it would be non-obvious for someone to make a change that would destroy this effect. Hence, Meyer teaches away from any addition that would cause the closure lid (11) to directly contact the inner wall of the container.

3. Response to the Rejection (Claim 2)

I. Claim 2 is allowable for at least the reason that it depends from allowable claim 1

Applicant respectfully submits that dependent claim 2 is believed to be allowable for at least the reason that this claim depends from allowable independent claim 1, and thus contains all limitations therein. *See In re Fine*, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reasons for the allowability of claim 2, this dependent claim recites further features and/or combinations of features (as is apparent by examination of the claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why this dependent claim is allowable.

Serial No.: 09/746,156

Art Unit: 2881

Page 16

4. Response to the Rejection (Claim 3)

- i. **Claim 3 is allowable for at least the reason that it depends from allowable claim 1**

Applicant respectfully submits that dependent claim 3 is believed to be allowable for at least the reason that this claim depends from allowable independent claim 1, and thus contains all limitations therein. *See In re Fine*, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reasons for the allowability of claim 3, this dependent claim recites further features and/or combinations of features (as is apparent by examination of the claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why this dependent claim is allowable.

5. Response to the Rejection (Claims 4, 29)

- i. **Claims 4 and 29 are allowable for at least the reason that these claims depend from allowable claims 1 and 25 respectively**

Applicant respectfully submits that dependent claims 4 and 29 are believed to be allowable for at least the reason that these claims depend from allowable independent claims 1 and 25 respectively, and thus contains all limitations therein. *See In re Fine*, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reason for the allowability of claims 4 and 29, these dependent claims recite further features and/or combinations of features (as is apparent by examination of the claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why these dependent claims are allowable.

6. Response to the Rejection (Claim 6)

- i. **Claim 6 is allowable for at least the reason that it depends from allowable claim 1**

Applicant respectfully submits that dependent claim 6 is believed to be allowable for at

Serial No.: 09/746,156

Art Unit: 2881

Page 17

least the reason that this claim depends from allowable independent claim 1, and thus contains all limitations therein. *See In re Fine*, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reasons for the allowability of claim 6, this dependent claim recites further features and/or combinations of features (as is apparent by examination of the claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why this dependent claim is allowable.

7. Response to the Rejection (Claims 7, 21 and 30)

- i. **Claims 7, 21 and 30 are allowable for at least the reason that these claims depend from allowable claims 1, 17 and 25 respectively**

Applicant respectfully submits that dependent claims 7, 21 and 30 are believed to be allowable for at least the reason that these claims depend from allowable independent claims 1, 17 and 25 respectively, and thus contains all limitations therein. *See In re Fine*, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reason for the allowability of claims 7, 21 and 30, these dependent claims recite further features and/or combinations of features (as is apparent by examination of the claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why these dependent claims are allowable, some of which will be discussed hereinafter.

- ii. **Meyer does not disclose a separate bearing member that “engag[es] said closure lid”**

Meyer may disclose a compression link in element 52, but it does not show a *separate* bearing member – *separate* from the compression link – as Applicant recites in claims 7, 21, and 30. As element 52 in Meyer is *part of the compression link*, Applicant respectfully submits that claims 7, 21, and 30 are novel in light of Meyer.

Serial No.: 09/746,156

Art Unit: 2881

Page 18

Furthermore, the Office Action states that the "bearing member" in Meyer engages the closure lid. However, if element 52 were to be called a "bearing member" as the Office Action suggests, it would still not engage the closure lid (11) as is taught in Applicant's claims 7, 21 and 30. *See* Fig. 4 (showing that the closure lid (50') would be separated from the "bearing member," element 52, by another part of the compression link, element 62'). Additionally, Meyer contains no motivation for causing the closure lid (50) to contact element 52.

8. Response to the Rejection (Claims 8 and 33)

- i. **Claims 8 and 33 are allowable for at least the reason that these claims depend from allowable claims 1 and 25 respectively**

Applicant respectfully submits that dependent claims 8 and 33 are believed to be allowable for at least the reason that these claims depend from allowable independent claims 1 and 25 respectively, and thus contains all limitations therein. *See In re Fine*, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reason for the allowability of claims 8 and 33, these dependent claims recite further features and/or combinations of features (as is apparent by examination of the claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why these dependent claims are allowable.

9. Response to the Rejection (Claim 9)

- i. **Claim 9 is allowable for at least the reason that it depends from allowable claim 1**

Applicant respectfully submits that dependent claim 9 is believed to be allowable for at least the reason that this claim depends from allowable independent claim 1, and thus contains all limitations therein. *See In re Fine*, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reasons for the allowability of claim 9, this dependent claim recites further features and/or combinations of features (as is apparent by examination of the

Serial No.: 09/746,156

Art Unit: 2881

Page 19

claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why this dependent claim is allowable.

10. Response to the Rejection (Claims 10 and 31)

- i. Claims 10 and 31 are allowable for at least the reason that these claims depend from allowable claims 1 and 25 respectively**

Applicant respectfully submits that dependent claims 10 and 31 are believed to be allowable for at least the reason that these claims depend from allowable independent claims 1 and 25 respectively, and thus contains all limitations therein. *See In re Fine*, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reason for the allowability of claims 10 and 31, these dependent claims recite further features and/or combinations of features (as is apparent by examination of the claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why these dependent claims are allowable, some of which will be discussed hereinafter.

- ii. Meyer does not disclose a separate bearing member that engages the closure lid**

As discussed previously in the response to claims 7, 21 and 30 Meyer may disclose a compression link in element 52, but it does not disclose a separate bearing member as is disclosed in Applicant's claims 10 and 31. Simply put, the "bearing member" in Applicant's invention is not the same thing as the "compression link." Thus, element 52 in Meyer cannot anticipate both the "compression link" and the "bearing member" – therefore making claims 10 and 31 novel.

Also, as discussed earlier, if element 52 were to be termed a "bearing member," it would still not anticipate Applicant's claims 10 and 31 as it does not engage the closure lid. Thus, Applicant respectfully submits that claims 10 and 31 are novel in light of Meyer.

Serial No.: 09/746,156

Art Unit: 2881

Page 20

11. Response to the Rejection (Claim 19)

- i. **Claim 19 is allowable for at least the reason that it depends from allowable claim 17**

Applicant respectfully submits that dependent claim 19 is believed to be allowable for at least the reason that this claim depends from allowable independent claim 17, and thus contains all limitations therein. *See In re Fine*, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reasons for the allowability of claim 19, this dependent claim recites further features and/or combinations of features (as is apparent by examination of the claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why this dependent claim is allowable.

12. Response to the Rejection (Claim 22)

- i. **Claim 22 is allowable for at least the reason that it depends from allowable claim 17**

Applicant respectfully submits that dependent claim 22 is believed to be allowable for at least the reason that this claim depends from allowable independent claim 17, and thus contains all limitations therein. *See In re Fine*, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reasons for the allowability of claim 22, this dependent claim recites further features and/or combinations of features (as is apparent by examination of the claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why this dependent claim is allowable.

13. Response to the Rejection (Claim 27)

- i. **Claim 27 is allowable for at least the reason that it depends from allowable claim 25**

Serial N.: 09/746,156

Art Unit: 2881

Page 21

Applicant respectfully submits that dependent claim 27 is believed to be allowable for at least the reason that this claim depends from allowable independent claim 25, and thus contains all limitations therein. See In re Fine, 837 F.2d 1071 (Fed. Cir. 1988). Additionally and notwithstanding the foregoing reasons for the allowability of claim 27, this dependent claim recites further features and/or combinations of features (as is apparent by examination of the claims themselves) that are patentably distinct from the prior art of record. Hence, there are other reasons why this dependent claim is allowable.

II. Claim Rejections – 35 U.S.C. § 103

A. Discussion of the Rejection (Claims 5, 11-12, 20, 23-24, 26, 28, 32, and 34)

1. Statement of the Rejection (Claims 5, 11-12, 20, 23-24, 26, 28, 32, and 34)

Claims 5, 11-12, 20, 23-24, 26, 28, 32, and 34 are rejected under 35 U.S.C. 103(a) as allegedly being unpatentable over Meyer (U.S. Pat. No. 4,016,096). More specifically, the Office Action states:

As per claims 5, 20, 28, Meyer teaches all aspects of the claims except for specifically stating that a backing member should be inserted between the closure lid and the compression link such that the insertion therebetween urges the compression link radially outwardly from the closure lid and positions the container engagement surface of the compression link for engagement with the inner surface. It would have been obvious to one of ordinary skill in the art at the time the invention was made to place a backing member between the closure lid and the compression link such that the insertion therebetween urges the compression link radially outwardly from the closure lid and positions the container engagement surface of the compression link for engagement with the inner surface in order to produce a tighter fit and hence a better seal, since the backing member would be used to occupy loose space. In addition, it was known to wedge a backing member between loose fitting objects in order to provide a better seal by reducing the space by which air/gas/liquid could occupy at that border between two adjacent objects.

As per claim 11, 23, 34, Meyer teaches all aspects of the claim except for explicitly stating that the exothermic material is spent nuclear fuel. Meyer does

Serial No.: 09/746,156

Art Unit: 2881

Page 22

however teach the exothermic material being radioactive waste. See Meyer col. 1 lines 15-20, 65-69, and col. 3 lines 20-30. However, since spent nuclear fuel is in fact a radioactive waste, it is the examiner's view that spent nuclear fuel is encompassed by Meyer teaching's of radioactive waste. Therefore, because these two exothermic materials were art-recognized equivalents at the time the invention was made, one of ordinary skill in the art would have found it obvious to substitute the spent nuclear fuel in the container for radioactive waste.

As per claims 12, 32, Meyer teaches the outer surface having a recess formed therein, and wherein the hold-down member has a retention ledge configured to engage the recess. See Meyer fig. 3.

As per claim 24, Meyer teaches all aspects of the claim except for specifically stating that the stepped outer surface be made of a surface harder than the bearing member. It would have been obvious to one having ordinary skill in the art at the time of the invention was made to have the stepped outer surface be made of a surface harder than the bearing member, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice.

As per claim 26, Meyer teaches all aspects of the claim except for specifically stating that the closure lid lack holes for mechanical fasteners. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have the closure lid lack holes for mechanical fasteners in order to provide seals that did not stress the container, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of suitability for the intended use as a matter of obvious design choice.

Office Action at pp. 7-9.

2. Response to the Rejection (Claims 5, 20, 28)

- i. Claims 5, 20 and 28 are allowable for at least the reason that they depend from allowable independent claims 1, 17 and 25 respectively**

As previously discussed, the features of independent claims 1, 17 and 25 are not disclosed by Meyer. Section I, *supra*. Furthermore, because claims 5, 20 and 28 depend from claims 1, 17 and 25 respectively, Applicant respectfully submits that the rejection as to these claims is rendered moot.

- ii. There is no motivation to add a backing member in Meyer because to do so would reduce the effectiveness of the elastomer seal**

Serial No.: 09/746,156

Art Unit: 2881

Page 23

Element 6 in Meyer is referred to as an O ring and a seal. Col. 2, lines 43, 55. Further, the “seal” is to be composed of an elastomer. Col. 2, line 55. An elastomer is an elastic substance resembling rubber. Merriam-Webster Online, *available at* <http://www.webster.com>. Thus, this rubbery substance called a “seal” has the primary duty of ensuring a fluid-tight seal between the light lid and the container. *See* Col. 3, lines 34-35. Therefore, to introduce another element between the light lid (11) and the seal (6) would compromise this tight seal. Thus, Meyer effectively teaches away from the introduction of a backing member between the closure lid (11) and the seal (6) (compression link). Accordingly, because Applicant’s claims 5, 20 and 28 recite this very element, Applicant respectfully submits that they are non-obvious in light of the teachings in Meyer.

3. Response to the Rejection (Claims 11, 23, 34)

- i. **Claims 11, 23 and 34 are allowable for at least the reason that they depend from allowable independent claims 1, 17 and 25 respectively**

As previously discussed, the features of independent claims 1, 17 and 25 are not disclosed by Meyer. Section I, *supra*. Furthermore, because claims 11, 23 and 34 depend from claims 1, 17 and 25 respectively, Applicant respectfully submits that the rejection as to these claims is rendered moot.

4. Response to the Rejection (Claims 12, 32)

- i. **Claims 12 and 32 are allowable for at least the reason that they depend from allowable independent claims 1, 17 and 25 respectively**

As previously discussed, Meyer does not disclose the features of independent claims 12 and 32. Section I, *supra*. Furthermore, because claims 12 and 32 depend from claims 1 and 25 respectively, Applicant respectfully submits that the rejection as to these claims is rendered moot.

Serial No.: 09/746,156

Art Unit: 2881

Page 24

5. Response to the Rejection (Claim 24)

- i. **Claim 24 is allowable for at least the reason that it depends from allowable independent claim 1**

As previously discussed, Meyer does not disclose the features of independent claim 1.

Section I, *supra*. Furthermore, because claim 24 depends from claim 1, Applicant respectfully submits that the rejection as to this claim has been rendered moot.

- ii. **Meyer does not provide guidance and teaches away from making the stepped surface of the closure lid out of a material harder than a bearing member**

While a person in the art may select a suitable material as an obvious design choice, there is no reason that this "person" would chose to make the stepped outer surface of the lid (6) in Meyer out of a material harder than the bearing member. This is true for at least two reasons. First, the lid in Meyer is taught to be "a fairly thin wall circular plate." Col. 2, lines 53-54. This "fairly thin" language is counter-intuitive to making a hard material. Thus, Meyer effectively teaches away from making the lid from a hard material. Second, as discussed in Section I of this response, Meyer does not disclose a bearing member; thus, the comparative "bearing member" element is missing and it would be impossible for a person in the art to make a lid out of a material harder than a non-existent part. Accordingly, Applicant respectfully submits that claim 24 is non-obvious in light of Meyer.

6. Response to the Rejection (Claim 26)

- i. **Claim 26 is allowable for at least the reason that it depends from allowable independent claim 1**

As previously discussed, Meyer does not disclose independent claim 1. Section I, *supra*. Furthermore, because claim 26 depends from claim 1, Applicant respectfully submits that the rejection as to this claim has been rendered moot.

Serial No.: 09/746,156

Art Unit: 2881

Page 25

B. Discussion of the Rejection (Claim 35)**1. Statement of the Rejection (Claim 35)**

Claim 35 is rejected under 35 U.S.C. 103(a) as allegedly being unpatentable over Meyer (U.S. Pat. No. 4,016,096) in view of Fields (U.S. Pat. No. 4,535,250).

2. Response to the Rejection (Claim 35)

- i. **The rejection is rendered moot in that claim 35 depends from allowable independent claim 25**

As discussed in Section I, Meyer does not disclose claim 25. Hence, because claim 35 depends from claim 25 Applicant respectfully contends that the rejection has been rendered moot.

III. Prior Art Made of Record

The prior art made of record has been considered, but is not believed to affect the patentability of the presently pending claims.

Serial No.: 09/746,156

Art Unit: 2881

Page 26

CONCLUSION

In light of the foregoing amendments and for at least the reasons set forth above, Applicants respectfully submit that all rejections have been traversed or rendered moot, and that the now pending claims 1-12, 17, and 19-35 are in condition for allowance. Favorable reconsideration and allowance of the present application and all pending claims are hereby courteously requested. If, in the opinion of the Examiner, a telephonic conference would expedite the examination of this matter, the Examiner is invited to call the undersigned agent at (770) 933-9500.

Respectfully submitted,

M. Paul Qualey, Jr.
Registration No. 43,024

THOMAS, KAYDEN,
HORSTEMEYER & RISLEY, L.L.P.
Suite 1750
100 Galleria Parkway N.W.
Atlanta, Georgia 30339
(770) 933-9500